

Heidenpeter GmbH & Co. KG Steel Stamps & Marking Tools

Kenkhauser Str. 6–8 D - 42929 Wermelskirchen Phone: +49 21 96 24 39 Fax: +49 21 96 8 26 71

info@heidenpeter.de www.heidenpeter.de





Standard Numbering Heads

Numbering heads are faster and more convenient to handle than type holders. They also allow the marking of multi-digit combination of numbers in a single operation and at the same time, the orientation of the single digits is accurate. By rotating the wheels, which are secured in place by means of a lockingpin, the desired number can be set quickly and without any problem. Every single wheel has a 11-part engraving and is equipped with the digits 0–9 and a blank space.

Maxi Marker

Article group:Standard Numbering HeadsLine of goods:Maxi Marker / Serial-No 185

- Heavy robust design
- Exchangeable punching-cap
- Display of settings by tell-tale characters in the wheel grooves, indicated by arrows
- All components internally standardised and seperately available
- Manufactured from special high-performance tool steel
- Type of characters acc. to DIN 1451
- Hardness at the engraving: 58–61 HRC
- Nickel-plated version (rust-protected)

Size of character	Number of Wheels	Weel Width	Length of Impression	
2 mm	8	2 mm	15,0 mm	
3 mm	8	3 mm	23,0 mm	
4 mm	8	3 mm	23,0 mm	the second second
5 mm	8	4 mm	31,0 mm	
6 mm	8	4 mm	31,0 mm	



Compact Marker

Article group: Line of goods:

Standard Numbering Heads Compact Marker / Serial-No 180

- Space-saving compact design
- Striking handle can be replaced by shank
- Display of settings by tell-tale characters in the wheel grooves
- All components internally standardised and seperately available
- Manufactured from special high-performance tool steel
- Type of characters acc. to DIN 1451
- Hardness at the engraving: 58–61 HRC
- Nickel-plated version (rust-protected)

Size of character	Number of Wheels	Wheel Width	Length of Impression	
2 mm	6	2 mm	11,0 mm	
3 mm	6	3 mm	16,5 mm	
4 mm	6	3 mm	17,0 mm	1000
5 mm	6	4 mm	23,0 mm	
6 mm	6	4 mm	23,0 mm	





www.heidenpeter.de